

Summary

- MIL-STD-1553B
- optional IRIG-B
- 1 Lane PCIexpress
- Options:
 0 to +70 degrees
 -40 to +85 degrees
 Conformal coating
- 128 Kbyte SRAM
 Per Channel
- BC / RT / M modes
- Separate logic for the
 PCIe interface
- (2) Dual Redundant
 Channel 1 (A+B)
 Channel 2 (A+B)
- Selectable Internal /
 external CLK
- 78 ohm X-formers
- Long / short stub
- 5.0v or 3.3v VIO
- Low power
- LED Status
- Available Software
 - 'C' libs
 - Windows
 - Linux
 - VxWorks



DUAL UTMC 1553 SUMMIT CONTROLLER BUS CONTROLLER, REMOTE TERMINAL, BUS MONITOR MODES



PICTURE SHOWN XMC-1553-2

Features

- 1 or 2 UTMC SUMMIT
- UT69151DX-GPC
- BC / RT / BM
- On-chip Transceivers
- On-board Transformers
- Long stub / Short stub

Memory

- 1 or 2 banks 128Kbytes Sram

Programmable via

- PCIepress Bus

PCIe interface

- Local Bus Clock rates at 66MHz
- Compliant PCIe Specification, r1.0a
- PCIMG 1.x
- Direct slave data transfers
- 2 DMA Channels

- 1553 bus levels
- TTL (5v) clock
- Front panel or rear I/O


Operating: Environmental

- Operating temperature
 Commercial: 0 to +70 °C
 Optional: -40°C to +80°C
- Airflow requirement: .5 CFM
- Humidity: 5 to 90% (non-cond.)
- Altitude: 0 to 20'000 ft

Mechanical: Environmental

- Size: Low Profile PCIe
 2.5" x 6.5"
- Power: 1.5 watt
- Front panel I/O
- Vibration: 0.5G RMS
 20-2000 Hz rand
- Shock: 20 G, 11 ms, ½ sine
- Weight: tbd
- MTBF: >250000 hours

I/O



Functional Block Diagram

Part Number : PCIe-1553-1-	Ordering Information
Part Number : PCIe-1553-2-	(1) MIL-1553, BC/RT/M, UTMC SUMMIT, No IRIG-B
C -	(2) MIL-1553, BC/RT/M, UTMC SUMMIT, No IRIG-B
I -	0°C to +70 °C Temperature rating
	-40°C to +85 °C Temperature rating
Part Number : EngKit-1553-micro	Optional Accessories
Part Number : CBL-1553-micro	2 T's, 2 Terminators, 1 16 inch cables
	Standard-Standard 16 inch 1553 cable

Alphi Technology Corporation

1898 E. Southern Ave.
 Tempe, Arizona 85282, USA
 Tel: (480) 838 2428
 Fax: (480) 838 4477

823-01-000-4100

For ordering information: sales@alphitech.com Please visit our web site at www.alphitech.com

Products mentioned are trademarks or registered trademarks of their respective holders. Alphi Technology believes this information is accurate as of its publication date and is not responsible for any inadvertent errors. The information contained herein is subject to change without notice. Copyright © 2005 Alphi Technology Corp. document number: 823-0-001-4100 rev.q